

# CHECKPOINT EAS CATALOGUE 2014





YOUR PATH TO IMPROVE  
MERCHANDISE AVAILABILITY

# INDEX

CHECKPOINT EAS SOLUTIONS	PAGE
<b>RF SYSTEM SOLUTIONS</b>	3 - 6
CLASSIC RANGE	7 - 8
EVOLVE iRANGE	9 - 12
EVOLVE EXCLUSIVE RANGE	13 - 15
<b>ACCESSORIES</b>	16
VISITOR COUNTING	17 - 20
ADVERTISING PANELS	21 - 22
COLORED BASE COVERS	23
BUMPER POSTS & DEFLECTORS	24
METALPOINT SOLUTIONS	25 - 27
<b>DEACTIVATION</b>	28
DEACTIVATION UNITS	29 - 31
DEACTIVATION ACCESSORIES	32
VERIFIERS	33 - 34
<b>EAS HARD TAG &amp; LABEL SOLUTIONS</b>	35
EAS LABEL RANGES	36 - 46
HT@SOURCE	47
IS SOLUTIONS	48 - 49
CHECKPOINT REUSABLES	50 - 54
CHECKPOINT DETACHERS	55

**SALES!**  
**SALES!**  
**SALES!**

-20% -50%  
10% 40% -30%  
-20% -50%  
10% 40% -30%

**Checkpoint®**



## **CHECKPOINT EAS SOLUTIONS HARDWARE**



**Checkpoint®**

**Checkpoint®**

# ANTENNA RANGES

- ✓ Installed at entrances, exits, staff exits and possibly toilet facilities in your store.
- ✓ Transmits low frequency radio waves at the same frequency as the tags.
- ✓ Checkpoint NGL and EVOLVE iRange 360 RF Pulse listen systems are based on transceiver technology and therefore can operate as a single stand alone antenna.
- ✓ The technology is harmless and will not affect pace makers, hearing aids etc.
- ✓ When a tag enters the detection field an audible alarm is heard.
- ✓ The visible and audible alarm lasts for approx 5 seconds before automatically resetting.
- ✓ If a tag is left within the detection field the alarm will sound continuously until removed.
- ✓ All antenna systems require testing each day using a special 'Test tag'.
- ✓ The store manager is ultimately responsible for testing and reporting faults.
- ✓ It is essential that each and every alarm activation is responded to.



## CLASSIC RANGE

Offers the recognised benefits of Checkpoint Design, Quality and Detection in affordable design options.



## EVOLVE iRANGE

Checkpoints premier range, designed with maximum detection and maximum control with clear KPI driven management tools. Comes complete with full range of data accessories to help retailers to grow profitably.



## EVOLVE EXCLUSIVE RANGE

An exclusive collection of designer based solutions. For retailers who store designs require something more Exclusive. All based on evolve technology for the best of the best.



ELECTRONIC ARTICLE SURVEILLANCE ANTENNAS

# FEATURE CHART

FEATURES	BACKFIELD LIMITATION	EAS JAMMER DETECTION	SINGLE FREQUENCY	DUAL FREQUENCY*	TCP/IP NETWORK CONNECTIVITY	INTEGRATED DUAL-COLOR LED'S	INTEGRATED VISITOR COUNTING	VISIPLUS WALL OR POST-MOUNTED COUNTING	VISIPLUS OVERHEAD COUNTER INTEGRATION	COMPLIANCE MANAGER INTEGRATION	EVOLVE-NET DATA REPORTING SERVICE	CHECKCARE REAL-TIME SERVICE	EVOLVE-COUNT DATA REPORTING SERVICE	SMART ALARM MANAGEMENT	ADVERTISING PANELS AS STANDARD	COLORED BASE COVER OPTIONS	ECO-ENERGY SAVINGS	RFD UPGRADABLE
CLASSIC PLUS/QX	✓	✓	✓	•	•	•	•	•	•	•	•	•	✓	•	✓	•	1.6 m 5.249 ft	
CLASSIC TREND/PX	✓	✓	✓	•	•	•	•	•	•	•	•	•	✓	•	✓	•	1.8 m 5.905 ft	
CLASSIC STREET	✓	✓	✓	•	•	•	•	•	•	•	•	✓	✓	✓	•	•	1.8 m 5.905 ft	
CLASSIC STYLE	✓	✓	✓	•	•	✓	•	•	•	•	•	•	✓	✓	✓	•	1.8 m 5.905 ft	
EVOLVE P10	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	2.1 m 6 ft	
EVOLVE P20	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	•	1.8 m 5.905 ft	
EVOLVE P20S	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	•	0.8 m 2.624 ft	
EVOLVE P30	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1.8 m 5.905 ft	
EVOLVE G10	✓	✓	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	2.1 m 6 ft	
EVOLVE G20	✓	✓	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	1.8 m 5.905 ft	
EVOLVE G30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	2 m 6 ft	
EVOLVE EX S10	•	✓	✓	✓	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	•	1.8 m 5.905 ft	
EVOLVE EX F10	•	✓	✓	•	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	•	See launch info	
EVOLVE EX E10	•	✓	•	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	2 m 6 ft	

# ANTENNA RANGES



PLUS

TREND

STREET

STYLE



P10

P20

P20 S  
(SEMI-SHIELDED)

P30

G10

G20

G30



F10 UNDERFLOOR



E10  
RF, DUAL, RFID



S10

# CHECKPOINT EAS SOLUTIONS HARDWARE




CLASSIC	ARTICLE NUMBER	DESCRIPTION
	10066375  7275480	CLASSIC TREND/PX PSB 1.70 x 0.50 x 0.11 meters 5.557 x 1.640 x 0.360 feet  CLASSIC TREND/PX SSB 1.70 x 0.50 x 0.11 meters 5.557 x 1.640 x 0.360 feet  Aisle Width* Up to 1.8 meters 5.905 feet
	10060042  7308818	CLASSIC PLUS/QX PSB 1.68 x 0.30 x 0.09 meters 5.511 x 0.984 x 0.295 feet  CLASSIC PLUS/QX SSB 1.68 x 0.30 x 0.09 meters 5.511 x 0.984 x 0.295 feet  Aisle Width* Up to 1.6 meters 5.249 feet

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE




CLASSIC	ARTICLE NUMBER	DESCRIPTION
	10072610  10110784	CLASSIC STREET WITH NEW LAMP DESIGN AND AD PANELS PSB 1.54 x 0.345 x 0.094 meters 5.052 x 1.131 x 0.308 feet  CLASSIC STREET WITH NEW LAMP DESIGN AND AD PANELS SSB 1.54 x 0.34 x 0.094 meters 5.052 x 1.131 x 0.308 feet  Aisle Width* Up to 1.8 meters 5.905 feet
	10067260  10109368	CLASSIC STYLE PSB 1.517 x 0.27 x 0.11 meters 4.977 x 0.885 x 0.360 feet  CLASSIC STYLE SSB 1.517 x 0.27 x 0.11 meters 4.977 x 0.885 x 0.360 feet  Aisle Width* Up to 1.8 meters 5.905 feet

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE iRANGE	ARTICLE NUMBER	DESCRIPTION
	10110787  10085273	EVOLVE iRANGE P30 WITH NEW LAMP DESIGN AND AD PANELS, V/C READY SSB 1.54 x 0.345 x 0.094 meters 5.052 x 1.131 x 0.308 feet  REMOTE ELECTRONICS CONTROLLER PSB 350 x 235 x 85MM  Aisle Width* Up to 1.8 meters 5.905 feet
No image available	10110798  10085273	BLACK EVOLVE iRANGE P30 WITH NEW LAMP DESIGN AND AD PANELS, V/C READY SSB 1.54 x 0.345 x 0.094 meters 5.052 x 1.131 x 0.308 feet  REMOTE ELECTRONICS CONTROLLER PSB 350 x 235 x 85MM  Aisle Width* Up to 1.8 meters 5.905 feet
	10110800	NEW FIELD FIT VISIPLUS UNIT FOR EVOLVE iRANGE P30 For upgrading Evolve iRange P30 to Visitor Counting Supplied as a separate unit and can be integrated after purchase  Tilted IPC integrated in lamp cover

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE iRANGE	ARTICLE NUMBER	DESCRIPTION
	10104989  10085273	EVOLVE iRANGE G30 SSB 1.517 x 0.27 x 0.07 meters 4.977 x 0.88 x 0.229 feet  REMOTE ELECTRONICS CONTROLLER PSB 350 x 235 x 85MM  Aisle Width* Up to 2 meters 6 feet US
	10110797  10085273	NEW ADDITIONAL MODEL EVOLVE iRANGE G30 SSB WITH INTEGRATED VISIPLUS 1.517 x 0.27 x 0.07 meters 4.977 x 0.88 x 0.229 feet  REMOTE ELECTRONICS CONTROLLER PSB 350 x 235 x 85MM  Aisle Width* Up to 2 meters 6 feet US

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE iRANGE	ARTICLE NUMBER	DESCRIPTION
	10045824  10036853	EVOLVE iRange P10 PAB 1.70 x 0.49 x 0.11 meters 5.577 x 1.607 x 0.360 feet  EVOLVE iRange P10 SAB 1.70 x 0.49 x 0.11 meters 5.577 x 1.607 x 0.360 feet  Aisle Width* Up to 2.1 meters 6 feet US
	10045892  10081858	EVOLVE iRange P20 PAB 1.71 x 0.30 x 0.11 meters 5.610 x 0.984 x 0.360 feet  EVOLVE iRange P20 SAB 1.71 x 0.30 x 0.11 meters 5.610 x 0.984 x 0.360 feet  Aisle Width* Up to 1.8 meters 5.905 feet
	09418594  09424433	EVOLVE iRange P20S Semi Shielded Antenna for Checkouts 1.71 x 0.30 x 0.11 meters 5.610 x 0.984 x 0.360 feet  Aisle Width* (taken from front of P20S, no detection from back) Up to 0.8 meters 2.624 feet  Installation Kit 2 Ant Cashdesk Shielded

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE iRANGE	ARTICLE NUMBER	DESCRIPTION
	10078077  10047749	EVOLVE iRange G10 PAB 1.65 x 0.49 x 0.11 meters 5.413 x 1.607 x 0.360  EVOLVE iRange G10 SAB 1.65 x 0.49 x 0.11 meters 5.413 x 1.607 x 0.360  Aisle Width* Up to 2.1 meters 6 feet US
	10084437  10070451	EVOLVE iRange G20 PAB 1.65 x 0.29 x 0.11 meters 5.413 x 0.951 x 0.360  EVOLVE iRange G20 SAB 1.65 x 0.29 x 0.11 meters 5.413 x 0.951 x 0.360  Aisle Width* Up to 1.8 meters 5.905 feet

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE EXCLUSIVE	ARTICLE NUMBER	DESCRIPTION
	7299381  10074443	EVOLVE EXCLUSIVE S10 SSB 1.74 x 0.10 x 0.13 meters 5.708 x 0.328v x 0.426 feet  S10 DUAL ELECTRONICS CHASSIS  Aisle Width* Up to 1.8 meters 5.905 feet
	10056833  10067275  10065628  10068446  10071893  09445455	EVOLVE EXCLUSIVE E10 RFID READY (RF) VERSION  E10 RF-RFID AN PKD (Active/Neutral)  E10 RF-RFID PN PKD (Passive/Neutral)  E10 RF-RFID AP PKD (Active/Passive)  Cable Kit Interpedestal  Blank Fabric Panel for E10

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE EXCLUSIVE	KIT NUMBER	DESCRIPTION
	7181937	<p>EVOLVE EXCLUSIVE W10 UNFINISHED OAK PSB 1.64 x 0.54 x 0.11 meters 5.38 x 1.77 x 0.36 feet</p> <p>Special Order, please contact product management</p>
	7766949	<p>EVOLVE EXCLUSIVE WX WEATHERPROOF ANTENNA PSB 1.72 x 0.52 x 0.11 meters 5.64 x 1.70 x 0.36 feet</p> <p>Special Order, please contact product management</p>

\*Aisle width may vary depending on tag type and environment  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS HARDWARE



EVOLVE EXCLUSIVE	ARTICLE NUMBER	DESCRIPTION
	KIT ANTF101MOPEN	Antenna F10 Underfloor Kit, 1meter/3.28feet System*
	KIT ANTF102MOPEN	Antenna F10 Underfloor Kit, 2meters/6.56feet System*
	KIT ANTF102X1OPEN	Antenna F10 Underfloor Kit, 2 x 1meters/6.56 x 3.28feet System*
	9455326	KIT EVOLVE EXCLUSIVE F10 1m/3.28ft System
	10107874	UNDERFLOOR ANTENNA Assembly kit (including 15.2m/50ft of coax cable) (order 1)
	10094350	Electronics Chassis (coax adaptor kit and power line filter)
	10107875	Installation Kit (containing Carlong Junction box, impedance matching board, conduit fittings and 15.2m/50ft of flexible conduit)
	9455353	KIT EVOLVE EXCLUSIVE F10 2m/6.561ft System
	10107874	UNDERFLOOR ANTENNA Assembly kit (including 15.2m/50ft of coax cable) (order 2)
	10094350	Electronics Chassis (coax adaptor kit and power line filter)
	10107875	Installation Kit (containing Carlong Junction box, impedance matching board, conduit fittings and 15.2m/50ft of flexible conduit)



## **CHECKPOINT EAS SOLUTIONS ACCESSORIES**

# CHECKPOINT EAS SOLUTIONS

## VISITOR COUNTING

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	See antenna section	EVOLVE iRange P30 with integrated people counter
	See antenna section	EVOLVE iRange G30 with integrated people counter
	7312436	VISIPLUS FOR EVOLVE iRange P10/P20 VisiPlus People Counter Housing complete kit: 1 x VisiPlus Housing 1 x VisiPlus Unit Adaptor crossbar cover for P10/P20
	7415195	VISIPLUS FOR EVOLVE iRange P10 DUAL UNIT Allows for mounting of two 7132436 unit for back to back installation
	9281473	FREE STANDING MOUNTING POLE FOR VISIPLUS MODULE Single direction post including VisiPlus Module Acrylic and Steel Post - Grey
	9281377	DOUBLE SIDED MOUNTING POLE FOR VISIPLUS MODULE Dual direction post including 2 x VisiPlus Module
	7165584	VISIPLUS WALL MOUNT Stand alone People Counter unit 250 x 85mm
	7203390 9289942	CHECKPRO COMPLIANCE MANAGER  CheckPro Compliance Manager Unit Kit One off connection charge per store to CheckPro This is a single Compliance Manager unit, Multiple units can be installed on the EVOLVE network at other doors
	7105865	VISIPLUS FOR EVOLVE Ex S10 ANTENNA S10 Mounted People Counter unit

\*Do not forget the power supply, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS

## VISITOR COUNTING

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7173021	VISIPLUS EVOLVE MODULE FOR EVOLVE iRange ADVERTISING PANEL
	9419270	EVOLVE VISIPLUS OVERHEAD SENSOR Overhead People Counter unit  Can be configured as Master or Slave using setup software
	9408208	STORECOUNT V2 Counter Display and Software Software CD-Rom is included with each controller  NOT AVAILABLE IN NORTH AMERICA
	9192146	STORECOUNT V2 COUNTER UNIVERSAL POWER SUPPLY Includes inter-changeable, multi-region plugs
	9174635 9174632 9174634 9174654	STORECOUNT V2 SENSOR CABLES Sensor Cable 5meters/ Sensor Cable 10meters/ Sensor Cable 20meters/ Sensor Cable 30meters/ Each cable features a fully terminated RJ12 6-pin connector Connects each Sensor to the Counter Display/ Controller

\*Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS

## VISITOR COUNTING

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	9292335	DUAL SENSOR 3000 Stand alone sensor Dual-direction counting Wall Mounted
	9216280	SINGLE SENSOR 3000 Stand alone sensor Single-direction counting Wall Mounted
	9216278	IR BEAM COUNTER SET Stand alone sensor Single-direction counting Wall Mounted
	9422034	IR CAM 2011 MASTER Dual-direction counting Ceiling Mounted
	9422035	IR CAM 2011 NODE (SLAVE) Dual-direction counting Ceiling Mounted

Do not forget the power supplies, cables or country specific power cord

# SOFTWARE SOLUTIONS



Checkpoint Systems range of software solutions not only can give valuable insight into customer footfall, but can measure EAS effectiveness, allow for remote servicing, plus a whole lot more. From small to large, from national to international stores, there is a solution to suit you.

## STORECOUNT V2

- ✓ Up-to-the-minute data on the number of visitors in each store
- ✓ Data remains within the retailer's business
- ✓ Features include a multi-store Viewer that can be installed on several staff computers (multi-store version only)

## EVOLVE-NET

- ✓ EVOLVE-NET is an automated reporting solution from Checkpoint
- ✓ It allows Checkpoint EVOLVE EAS solutions to be measured and managed remotely - regardless of where your customers stores are in the world
- ✓ It is automatic and can be designed around customers reporting requirements

## EVOLVE-COUNT DATA CONNECT

- ✓ Data collection service pushes consolidated visitor data file back to customer

## EVOLVE-COUNT DATA REPORTING

- ✓ Data collection service
- ✓ Subscription report service for visitor counting

## CHECKCOUNT REPORTING SERVICE

- ✓ Powerful analytics tool
- ✓ Ad-hoc custom reporting
- ✓ Ability to integrate customer

See your local CheckPoint representative for further details

# CHECKPOINT EAS SOLUTIONS

## ADVERTISING & SAFETY PANELS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7397124 7225618	SAFETY PANEL FOR EVOLVE iRange P10 4 Plexi Sheets equipped with brackets  SAFETY PANEL FOR EVOLVE iRange P20 3 Plexi Sheets equipped with brackets
	9416725 09416726	ADVERTISEMENT PANEL FOR EVOLVE iRange P10 Kit = Front and Back panels VisiPlus bracket (2 sides) Panel Ad,p10,Kit,vbr,cam[r]* PETG/ABS  ADVERTISEMENT PANEL FOR EVOLVE iRange P20 Kit = Front and Back panels VisiPlus Brackets (1 side only due to space) Panel Ad,p20,Kit,vbr,[r]* PETG/ABS

# CHECKPOINT EAS SOLUTIONS

## ADVERTISING & SAFETY PANELS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7573838 7268845	SAFETY PANEL FOR CLASSIC TREND/PX  SAFETY PANEL FOR CLASSIC PLUS/QX
	7283255 7280867	ADVERTISEMENT UPGRADE KIT FOR CLASSIC PLUS/QX (require safety panels - see above)  ADVERTISEMENT UPGRADE KIT FOR CLASSIC TREND/PX (require safety panels - see above)
	See antenna section	PERSPEX SAFETY/ADVERTISEMENT PANEL FOR CLASSIC STREET and EVOLVE iRANGE P30

# CHECKPOINT EAS SOLUTIONS

## COLORED BASE COVERS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	10108559 10108575 10108577 10108574	OPTIONAL COLORED BASE COVER FOR CLASSIC STREET & EVOLVE iRANGE P30  RUBY RED RAL3003  PEARL NIGHT BLUE RAL5026  EMERALD GREEN RAL6001  JET BLACK RAL9005
	10111073 10111077 10111076 10111075	OPTIONAL COLORED BASE COVER FOR CLASSIC STYLE  RUBY RED RAL3003  PEARL NIGHT BLUE RAL5026  EMERALD GREEN RAL6001  JET BLACK RAL9005
	10108632 10108578 10108572 10108571	OPTIONAL COLORED BASE COVER FOR EVOLVE iRANGE G30  RUBY RED RAL3003  PEARL NIGHT BLUE RAL5026  EMERALD GREEN RAL6001  JET BLACK RAL9005

# CHECKPOINT EAS SOLUTIONS

## BUMPER POST & DEFLECTORS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7222687 7271433	EVOLVE iRange BUMPER POST For CLASSIC Trend/PX & EVOLVE iRange P10/G10  EVOLVE iRange BUMPER POST For CLASSIC Plus/QX, new Street & Style, EVOLVE iRange P20/G20
	7383874 7122112	DEFLECTOR EVOLVE iRange P10/G10  DEFLECTOR EVOLVE iRange P20/G20
	7144145	FREE-STANDING MOUNT FOR S10 Metal Pole for free standing S10

# CHECKPOINT EAS SOLUTIONS

## METALPOINT

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	10108213	METALPOINT 12cm/4.7“ Plexi Antenna Only
	10108214	METALPOINT 18cm/7.1“ Plexi Antenna Only
	09292463	METALPOINT ELECTRONIC RF ELECTRONICS
	9220392	METALPOINT PAGER SYSTEM MP01 (without display)
	9412123	METALPOINT PAGER SYSTEM MP01D (with display)
	9179168	METALPOINT STROBE FLASHLIGHT UNIT

\*For MetalPoint Integration please see conditions with local Checkpoint offices  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS

## METALPOINT

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	9220392 9220393	METALPOINT TRANSMITTER & RECEIVER TR/RC Set, New version  METALPOINT TRANSMITTER & RECEIVER RC Set, New Version
	9145522	METALPOINT ALARM FLASH LIGHT Version 3.2
	9174168	METALPOINT INTEGRATED KIT (3 ferrite cores, 3 capacitors, 1 Terminal block 12 way) for integrated metalPoint in 3G

\*For MetalPoint Integration please see conditions with local Checkpoint offices  
Do not forget the power supplies, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS

## METALPOINT HYPERGUARD\*


HYPERGUARD	ARTICLE NUMBER	DESCRIPTION
	10108213	METALPOINT HYPERGUARD 12cm/4.7“ Plexi Antenna only (MetalPoint) WO/PCB
	10108214	METALPOINT HYPERGUARD 18cm/7.1“ Plexi Antenna only (MetalPoint) WO/PCB
	10109090	METALPOINT HYPERGUARD Electronics pedestal HG MAG/Metal Clear
	10108245	METALPOINT HYPERGUARD Pedestal HG MAG/Metal Clear 12CM/4.7“ W/PCB
	10107614	METALPOINT HYPERGUARD Pedestal HG MAG/Metal Clear 18CM/7.1“ W/PCB
	10108246	METALPOINT HYPERGUARD Board HG Mag/Metal EAS Integration PKD
	10108247	EUROPE & AUSTRALIA Hyperguard Controller Combo W/Pager 433Mhz
	10108248	Additional Hyperguard Rx Pager 433Mhz
	10108249	Hyperguard Pager Repeater 433Mhz
	10108251	APAC - JAPAN / CHINA Hyperguard Controller Combo W/Pager 426Mhz
	10108211	Additional Hyperguard Rx Pager 426Mhz
	10108212	Hyperguard Pager Repeater 426Mhz
	10108215	NORTH AMERICA - USA / CANADA Hyperguard Controller Combo W/Pager 915Mhz
	10108216	Additional Hyperguard Rx Pager 915Mhz
	10108217	Hyperguard Pager Repeater 915Mhz
	10108246	Hyperguard Eas Integration Kit - Antenna Board
	10112014	KIT 4, EXTENSION HG NETWORK MATERIAL
	10112013	KIT 5, INSTALLER HG BIT MATERIAL
	10112011	KIT 4, INSTALLER HG CONN/ANCHOR MATERIAL

\*For MetalPoint Integration please see conditions with local Checkpoint offices




## CHECKPOINT EAS SOLUTIONS DEACTIVATION

# CHECKPOINT EAS SOLUTIONS DEACTIVATION

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	10111967  Available Q2 2014	COUNTERPOINT iD CHASSIS Intelligent deactivator used to deactivate EAS labels and detect hard tags/Alpha high theft security products. The highest deactivation performance in the industry. With multiple connectivity options. Compatible with NCR, Motorola, Honeywell/Metrologic and Datalogic scanners   
	7565505	COUNTERPOINT IX CHASSIS 4/6 Mode with integrated sounder  
	7324890	COUNTERPOINT PAD Compatitable with; Counterpoint iD Chassis Counterpoint IX Chassis EVOLVE D11
	7392011	COUNTERPOINT SHEET DEACTIVATOR 9.75" x 9.75" 247.56mm x 247.56mm Compatitable with; EVOLVE D11 Counterpoint iD Chassis
	10111967  Toshiba upgrade kit: xxxxxxxx NCR upgrade kit: xxxxxxxx Wincor Nixdorf upgrade kit: xxxxxxxx	COUNTERPOINT iD Self Checkout Chassis- GLOBAL Deactivation technology which ensures deactivation of labels, identifies hard tags and high theft security devices to the self checkout Compatible with NCR, Toshiba and Wincor Nixdorf Requires upgrade kit for installation  
	7870431	EVOLVE D11 CHASSIS - GLOBAL Deactivation chassis with remote connectivity and data collection  

Do not forget the power supply, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS DEACTIVATION

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7331347	EVOLVE D11 SOUNDER & SWITCH - GLOBAL Remote key switch and adjustable sounder
	10111134  7723980 7371906  xxxxxxx xxxxxxx  Available Q2 2014	MOBILE DEACTIVATOR CP iD Chassis MPOS (battery powered) Must order battery pack Charger Order country specific line cord Kit number for EU Kit number for NA Must select deactivation antenna to be used   <b>Mobile Point of Sale</b> DEACTIVATION & POS SOLUTIONS
	7976024	HAND-HELD DEACTIVATOR - EU Only Hand held deactivation antenna with 3 meter cable (10 foot) cable To be used with CP IX 9216407 or CP iD conversion kit.  Please note 9216407 will be eol when CP iD conversion kit is issued
	7076658	HAND SCAN, DEACTIVATION WAND - EU, NA Wires to CPIX chassis with 6 foot coiled cord
	7908842	CONVEYOR DEACTIVATION PAD 330x330mm - EU Only Deactivation antenna that can be installed within a conveyor belt

Do not forget the power supply, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS DEACTIVATION

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7300435	KIT, DEACT A1101 ROYSTON - GLOBAL Sheet antenna with dimensions of 6.5 inches by 13.35 inches (165mm by 339mm)
	9420984	SHOE LABEL DEACTIVATOR - EU Only Shoes with improperly integrated EAS shoe labels that could not be deactivated are now possible with the Shoe label deactivator
	10049800	CONVEYOR BELT DEACTIVATION - EU Only Power supply and EU mains cable is included.  1.26 x 0.54 x 0.06 meters 4.13 x 1.77 x 0.19 feet
	10049800	SHOPPING CART DEACTIVATION - EU Only Three panels must be ordered to build the deactivation tunnel. The power supply and EU mains cable are already included  1.26 x 0.54 x 0.06 meters 4.13 x 1.77 x 0.19 feet

Do not forget the power supply, cables or country specific power cord



# CHECKPOINT EAS SOLUTIONS

## DEACTIVATION ACCESSORIES

ARTICLE	ARTICLE NUMBER	DESCRIPTION
No image available	7508899	KIT CABLE EXTENSION (changed from Kit CPVII cable extension)- GLOBAL This cable is generally used with scanner upgrades
No image available	7361668	DECAL CHECKPOINT LOGO - GLOBAL Decal placed on the counter to locate the under counter mounted deactivation antenna
	7723870	BATTERY PACK - GLOBAL Lithium Ion battery pack for the mPOS CPIX. This is a spare battery.
	7371906	CHARGER, BATTERY LITHIUM ION - GLOBAL Battery charger for the MPOS battery pack
	10111343 available from March 2014	DEACTIVATION PAD SPACER Suitable for metal counters  *the deactivation pad is sold separately from the spacer

Do not forget the power supply, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS

## VERIFIERS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7225572	<p><b>OMNI VERIFIER PACKAGE</b>          Includes a personal verifier, deactivation verifier, cradle, power supply and owners user guide          Order country specific power cord</p>
	7402093	<p><b>OMNI PD PACKAGE</b>          Includes an Omni verifier and a deactivation key which allows the Omni to be used as a portable deactivator          Order country specific power cord</p>
	7218470	<p><b>DEACTIVATION KEY - GLOBAL</b>          Security key to enable the Omni to deactivate EAS labels</p>
	7224635	<p><b>OMNI VERIFIER CRADLE - GLOBAL</b>          Spare cradle</p>
	7346804	<p><b>OMNI SPARE POWER SUPPLY - GLOBAL</b></p>

Do not forget the power supply, cables or country specific power cord

# CHECKPOINT EAS SOLUTIONS VERIFIERS

ARTICLE	ARTICLE NUMBER	DESCRIPTION
	7631117	PV2000 PORTABLE VERIFIER - GLOBAL Detects 8.2MHz hard tags and labels
	7651919	DV1000 DEACTIVATION VERIFIER - GLOBAL Checks if the deactivator is working

Do not forget the power supply, cables or country specific power cord



# CHECKPOINT EAS SOLUTIONS HARD TAGS & LABELS

# CHECKPOINT EAS SOLUTIONS

## LABELS

ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
ECON LINE LABELS	NEW LINE!		
	10111894	1KR	310 ECON Dummy Barcode
	10111888	1KR	410 ECON Dummy Barcode
	10111887	1KR	410 ECON Plain
	10111899	1KR	410 ECON Thermal Direct
	10112019	2KR	410 ECON Plain
	10111904	1KR	410 ECON Black
	10111896	1KR	40R ECON Yellow Black Lock
	10111897	1KR	3810 ECON Plain
	10111898	1KR	3810 ECON Dummy Barcode
	10111895	1KR	3515 ECON Plain
	10111893	1KR	3515 ECON Dummy Barcode

# CHECKPOINT EAS SOLUTIONS TAGS & LABELS



## ECONOMY RANGE:

Offers a standard level of EAS protection as a basic, lower-cost option. Generally hand applied, these items are designed for in-store application on general goods.

### Examples



410 Plain  
1.57" x 1.57"  
40 mm x 40 mm



410 Barcode  
1.57" x 1.57"  
40 mm x 40 mm



410 PSG  
1.57" x 1.57"  
40 mm x 40 mm



710 Plain  
1.25" x 1.5"  
34 mm x 39 mm



710 Barcode  
1.25" x 1.5"  
34 mm x 39 mm



3515 SP HA Plain DE  
1.19" x 1.57"  
30 mm x 40 mm



## ENHANCED RANGE:

Offers enhanced performance, specially designed for better detection, deactivation and overall protection. Created for high-speed at source application to fit on a variety of items.

### Examples



410 EP Thermal Transfer  
1.57" x 1.57"  
40 mm x 40 mm



710 EP Thermal Transfer  
1.25" x 1.5"  
34 mm x 39 mm



2815 EP Thermal Transfer  
1.94" x 1.05"  
49.3 mm x 26.7 mm



2933 EP Thermal Transfer  
1.3" diameter  
33 mm diameter



3110 EP PSG Thermal Transfer  
0.8" x 2.6"  
20.32 mm x 66 mm



## SPECIALTY RANGE:

Provides enhanced performance plus unique security properties. Designed for hard to protect items, this range of solutions provides the performance of a label with added material strength flexibility.

### Examples



iS Petite  
1" x 1.30" x 0.44"  
25.4 mm x 33 mm x 11.2 mm



iS Surround  
1.67" x 0.20" (front peg)  
42.41 mm x 5 mm



4010 EP Food Label  
1.61" x 1.79"  
40.9 mm x 45.4 mm



2815 EP SHOE LABEL  
1.940" x 1.051"  
49.3 mm x 26.7 mm



2933 EP Clear Tamper Tag  
1.3" diameter  
33 mm diameter



2410 Micro PST EP  
0.9" x 1"  
23 mm x 25 mm



3710 Micro EP Clear  
0.5" x 2"  
15.1 mm x 52 mm



## EXCLUSIVE RANGE:

Exclusive products are only available through Checkpoint, and utilize superior innovation and technology. Our customized products also fall into this category, offering best in class technology for special customer needs.

### Examples



Tamper Tag Custom Print



CKP Brand



Custom Print Labels – Made to Order



iS Pro Tag  
1.79" W x 2" H  
45.5 mm W x 50.8 mm H

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>400 SERIES LABELS</b>			
	7551246	2KR	410 HA Plain 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation
	7909949	2KR	410 HA Dummy Barcode 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation
	7283986	TR (2K)	410 HA Black 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation
	7288101	4KR	410 AA Plain Thermal Transfer 1.57" x 1.57" 40mm x 40mm Designed for automatic application at source or distribution
	9135203	1KR	410 Drop in White 1.57" x 1.57" 40mm x 40mm

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>700 SERIES LABELS</b>			
	7232717	TR (2K)	710 Plain HA 1.25" x 1.5" 34mm x 39 mm Designed for in-store tagging Good detection & deactivation
	7232019	TR (2K)	710 HA Dummy Barcode 1.25" x 1.5" 34mm x 39 mm Designed for in-store tagging Good detection & deactivation
<b>3515 HA</b>			
	10102635	2KR	3515 HA, Plain 1.19" x 1.57" 30mm x 40mm Designed for in-store tagging Good detection & deactivation


# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>400 SERIES ENHANCED PERFORMANCE LABELS</b>			
	7103188	2KR	410 EP AA Thermal Transfer 1.57" x 1.57" 40mm x 40mm
	10100470	4KR	410 EP PSG, Thermal Transfer 1.57" x 1.57" 40mm x 40mm
	7361741	8KR	410 EP AA Thermal Transfer 1.57" x 1.57" 40mm x 40mm Designed for automatic application at source or distribution
<b>700 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)</b>			
	7174997	2KR	710 EP, AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm
	7183170	4KR	710 EP. AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm
	7248352	8KR	710 EP, AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm
	7196842	4KR	710 EP, AA, Bil 1.25" x 1.5" 34mm x 39 mm
	7161083	8KR	710 EP, AA Bil 1.25" x 1.5" 34mm x 39 mm
	7126856	2KR	710 EP AA ND 1.25" x 1.5" 34mm x 39 mm

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>2815 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)</b>			
	7247413	2KR	2815 EP AA Thermal Transfer 1.94" x 1.08" 49.3mm x 26.7mm Slim design and enhanced performance
	7178327	4KR	2815 EP AA Thermal Transfer 1.94" x 1.08" 49.3mm x 26.7mm Detection exceeds 710 labels Slim design and enhanced performance
<b>2900 SERIES ENHANCED PERFORMANCE LABELS</b>			
	7666078	2KR	2933 HA EP Thermal Transfer W PSG- MTO 33mm round Ideal for customization
<b>3110 SERIES ENHANCED PERFORMANCE LABELS</b>			
	7123511	2KR	3110 AA EP Thermal Transfer 0.8" x 2.6" 20.32mm x 66mm Slim design and enhanced performance


# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>600 SERIES LABELS (DEACTIVATABLE ONLY)</b>			
	7621735	2KR	615 Shoe HA - bad labels identified 2.2" x 1.209" 55.88mm x 30.73mm Direct shoe integration Permanent deactivation
	7597872	4QR	615 Shoe HA 2.2" x 1.209" 55.88mm x 30.73mm Direct shoe integration Permanent deactivation
	7907684	2KR	615 Shoe HA - bad labels replaced 2.2" x 1.209" 55.88mm x 30.73mm
<b>2815 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)</b>			
	10107376	2KR	2815 EP Shoe Label 1.940" x 1.051" 49.3mm x 26.7mm Direct shoe integration Permanent deactivation Enhanced performance and manufacturing process tolerance
<b>1915 EP PSG SPECIALTY</b>			
	7242481	4KR	1915 EP AA Thermal Transfer 2.444" x 1.318" 62.10 x 33.50mm Designed for foil blister packs

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>ENHANCED PERFORMANCE P2S LABELS</b>			
	7190912	2KR	410 EP P2s 1.57" x 1.57" 40mm x 40mm
	7401510	2KR	710 EP P2s 1.25" x 1.5" 34mm x 39 mm
	7153342	2KR	2815 EP P2s 1.94" x 1.08" 49.3mm x 26.7mm

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>3210 SERIES CLEAR ENHANCED PERFORMANCE LABELS</b>			
	7223155	2KR	3210 EP AA Clear 0.748" x 2.559" 19mm x 65mm Clear label designed for small narrow products (such as cosmetics) Able to scan a barcode through the label
<b>2410 MICRO PST EP</b>			
	7501668	TR (3rolls = 2K)	2410 Micro PST EP AA, Clear 0.9" x 1" 23mm x 25mm The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding
	10104320	TR (3rolls = 2K)	2410 Micro PST EP, DBC The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding
	10104319	TR (3rolls = 2K)	2410 Micro PST EP, AA Plain The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding
	10107530	2KR	
<b>2933 EP TAMPER TAG ENHANCED PERFORMANCE CLEAR LABEL</b>			
	7740096	2KR	2933 EP Clear Bil Tamper Tag 33mm round label Tamper resistant Customizable
	10104215	4KR	2933 EP Clear Bil Tamper Tag 33mm round label Tamper resistant Customizable
	10103110	2KR	2933 EP Tamper Tag, Black Lock 33mm round label Tamper resistant Clear label with visual deterrence Trademarked anti theft symbol


# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>2928 EP TAMPER TAG ENHANCED PERFORMANCE CLEAR LABEL</b>			
	10110271	2KR	2928 EP Clear Micro Tamper Tag Black lock 28mm round
<b>3610 MICRO EP P2S</b>			
	10105073	2KR	3610 Micro EP P2S Care 0.866" x 1.850" 22mm x 47mm Designed for woven pocket tag integration World's narrowest RF EAS Label
<b>3710 MICRO EP COSMETIC</b>			
	10106356 10110639	TR (2K) 2KR	3710 Micro EP Clear 0.5" x 2" 15.1mm x 52mm World's narrowest RF EAS label Fits small goods and cosmetics With curve tolerance
<b>4010 EP FOOD LABEL</b>			
	10106793 10111669 10111668 10110090 10111665 10110087 10109725	4KR 2KR 4KR 4KR 4KR 2KR 1KR	4010 EP Food Label White 1.61" x 1.79" 40.9mm x 45.4mm Certified Microwave safe Enhanced performance to better protect fresh food  4010 Direct Food contact AA  4010 Direct Food contact AA  4010 Clear EP Bil AA  4010 Clear Thin EP AA  4010 Dummy Barcode  4010 Safe Handling Instructions

# CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>CUSTOM PRINT LABELS - MADE TO ORDER</b>			
  	N/A	2KR	Standard Custom Print - 1 color 500K label minimum
		2KR	Standard Custom Print - 2 color 500K label minimum
			A range of custom print options available on request
<b>TAMPER TAG CUSTOM PRINT</b>			
	N/A	2KR	2933 Tamper Tag 1 Color Print
		2KR	2933 Tamper Tag 2 Color Print
		2KR	2933 Tamper Tag 3 Color Print
		2KR	2933 Tamper Tag 4 Color Print
		2KR	2933 Tamper Tag 1 Line Variable Data
		2KR	2933 Tamper Tag 2 Line Variable Data

# CHECKPOINT EAS SOLUTIONS

## HARD TAG @ SOURCE



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>HARD TAGS</b>			
	7311288 (Standard) 10100856 (Super)	1 Box (1000)	GEN 2 FAMILY HT@SOURCE 2.0 x 1.0 x 0.6 inches 50.8 x 25.4 x 15.24 mm Superior hard tag performance designed for tagging at source & re-optimal use
	7157978	1 Box (1000)	APPAREL CLIP 1.625 inches (diameter) 41.27 mm  0.3 inches (thickness) 7.62 mm  Pinless hard tag with secure clip attachment
	10111730 10111731 10109223  10112051 10112017	1 Box (500)  1 Case 1000 1000	GEN 3 HARD TAG 1.8 inches (Diameter) 46 mm Strong Visual deterrent, optimized for wide aisle and underfloor systems  ECONOMY ENHANCED SPECIALTY  GEN3 INK TAGS  BLUE RED

# CHECKPOINT EAS SOLUTIONS

## iS SOLUTIONS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>iS SOLUTIONS</b>			
	10102600 10111727	1 Box (1000)	iS PRO TAG RF 1.79 x 2.00 inches (tag) 45.46 x 50.8 mm  iS PRO TAG AM 0.81 x 0.08 inches (clip) 20.57 x 2.03 mm Versatile one-time use solution with strong visual deterrence
	10105661	1 Box (100)	iS SURROUND 1.67 x 0.20 inches (front peg) 42.41 x 5.08 mm  1.20 x 0.25 inches (back peg) 30.48 x 6.47 mm Disposable wrap solution designed for one-time use
	10111726 10111666	1 Case (1000) 1 Case (1000)	iS MVP AM 1.59" x 1.17" x 0.45" 40.4 x 29.8 x 11.5mm Reusable, pinless solution with AM technology  iS MVP RF 1.68" W x .410" D (42.7 mm W x 10.4 mm D) Reusable, pinless solution with RF technology
	10105662 10111723	1 Case (1000) 1 Case (1000)	iS PEG SINGLE HOOK TAG Peg hook protection designed for one-time use can be used with iS MVP tags  iS PEG UNIVERSAL TAG Peg hook protection designed for one-time use can be used with iS MVP tags

# CHECKPOINT EAS SOLUTIONS

## iS SOLUTIONS



ARTICLE <b>iS SOLUTIONS</b>	ARTICLE NUMBER	UOM	DESCRIPTION
	10111725	1 Case (1000)	iS FUSION TAG AM 1.79" x 1.79" 45.5mm x 45.5mm
	10111193	1 Case (1000)	iS FUSION TAG RF 1.79" x 1.79" 45.5mm x 45.5mm  Hard tag with the adhesive qualities of a label
	10111667	1 Pack (250)	iS SHACKLE TAG 1.42" x 1.17" x 1.98" 36mm x 29.7mm x 50.3mm Hinged design opens wide for easy attachment
	10111150	1 Pack (250)	iS FLEX STRAP 6.52" x 0.38" x 0.04" 165.5mm x 9.7mm x 1.2 Versatile strap for use with pin or apparel clip housing (plug required)
	10108581	1 Case (1000)	iS PETITE TAG AM 1 x 1.30 x 0.44 inches 25.4 x 33.0 x 11.2 mm Reusable, pinless solution with AM technology

# CHECKPOINT EAS SOLUTIONS REUSABLES



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>HARD TAGS RF</b>			
	10111732 10107528	500	S-TAG RF Version AM Version
	7321712	250	3G HARD TAG STANDARD LOCK 2.08 x 1.73 inches 53 x 44mm
	7853370	250	3G HARD TAG SUPER LOCK 2.08 x 1.73 inches 53 x 44mm
	9420292	250	3G HARD TAG SUPER LOCK - BLACK 2.08 x 1.73 inches 53 x 44mm
	10100871	250	MAXI HARD TAG - HIGH DETECTION 2.79 x 2.20 / 71 x 56mm
	9424330	250	HARD TAG APOLLO RF IVORY 1.96 inches / 50mm
	9425102	250	HARD TAG APOLLO RF GREY 1.96 inches / 50mm
	9204925	250	SOMBRENO HARD TAG RF WHITE SUPER LOCK 1.57 inches / 40mm
	9204897	250	SOMBRENO HARD TAG RF WHITE SUPER LOCK 1.96 inches / 50mm

# CHECKPOINT EAS SOLUTIONS

## REUSABLES



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>HARD TAGS RF</b>			
	9204898	250	All require sombrero pins SOMBRERO HARD TAG BLACK 1.57 inches / 40mm
	9204899	250	SOMBRERO HARD TAG BLACK 1.96 inches / 50mm
	9204925	250	SOMBRERO HARD TAG WHITE 1.57 inches / 40mm
	9204897	250	SOMBRERO HARD TAG WHITE 1.96 inches / 50mm
	7848410	250	MINI HARD TAG RF DARK GREY 2.08 x 1.73 inches / 53 x 44mm
	7285355	250	BUTTON HARD TAG, BLACK, STANDARD LOCK 1.49 inches / 38mm
	7275659	250	BUTTON HARD TAG, WHITE, STANDARD LOCK 1.49 inches / 38mm
	7378980	250	BUTTON HARD TAG, BLACK, SUPER LOCK 1.49 inches / 38mm
	7726868	250	BUTTON HARD TAG, GREY, SUPER LOCK 1.49 inches / 38mm
	7130193	250	BUTTON HARD TAG, WHITE, SUPER LOCK 1.49 inches / 38mm
	7388003	250	BOTTLE TAG, WHITE, STANDARD LOCK 2" / 50mm
	9236805	250	BOTTLE TAG, BLACK, STANDARD LOCK 2" / 50mm
	10103530	250	BOTTLE TAG, GRAY, STANDARD LOCK 2" / 50mm

# CHECKPOINT EAS SOLUTIONS REUSABLES



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>HARD TAGS RF</b>			
	10105108	250	PENCIL HARD TAG RF SUPER LOCK 2.08 x 0.55 x 0.74 inches 53 x 14 x 19mm
	10105074	250	PENCIL HARD TAG RF STANDARD LOCK 2.08 x 0.55 x 0.74 inches 53 x 14 x 19mm
	9408191	250	PEBBLE HARD TAG RF WHITE SUPER LOCK 1.29 inches / 33mm requires pebble pin
	9408192	250	PEBBLE HARD TAG RF BLACK SUPER LOCK 1.29 inches / 33mm requires pebble pin
	9294052	250	ROUND HYPERLOCK HT@SOURCE WITH PIN 19MM Application: high theft clothes/accessories. Iper Lock to be open only with smart detacher Code. 7501580 1.96 inches / 50mm
	9237962	500	GOLF HARD TAG MINI SUPER LOCK WHITE 1.77 inches / 45mm
	9237964	500	GOLF HARD TAG MINI SUPER LOCK BLACK 2.16 inches / 55mm
	9236801	500	GOLF HARD TAG MINI SUPER LOCK WHITE 2.44 inches / 62mm
	9236802	500	GOLF HARD TAG MINI SUPER LOCK BLACK 2.44 inches / 62mm

# CHECKPOINT EAS SOLUTIONS REUSABLES



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>PINS &amp; LANYARDS</b>			
	9167504	250	CONICAL HEAD NICHEL PIN 0.629 x 0.050 inches / 16 x 1.27mm
	7849214	250	CONICAL HEAD GOLDEN PIN 0.748 x 0.050 inches / 19 x 1.27 mm
	9207676	250	SWIVEL HEAD GOLDEN PINS 0.629 x 0.050 inches / 16 x 1.27mm
	9137104	250	SWIVEL HEAD GOLDEN PINS 0.748 x 0.050 inches / 19 x 1.27 mm
	9207605	250	SWIVEL HEAD GOLDEN PINS 0.826 x 0.050 inches / 21 x 1.27mm
	9294043	250	SWIVEL HEAD PIN LOW COST 0.629 x 0.050 inches / 16 x 1.27 mm
	9215125	250	DOME HEAD PIN 0.708 x 0.050 inches / 18 x 1.27mm
	9173909	250	CONICAL HEAD NICHEL PIN 0.984 x 0.050 inches / 25 x 1.27 mm
	9204045	250	SOMBRERO PIN WHITE 1.968 inches / 50mm
	9204044	250	SOMBRERO PIN BLACK 1.968 inches / 50mm
	9203817	250	SOMBRERO PIN WHITE 1.574 inches / 40mm
	9204042	250	SOMBRERO PIN BLACK 1.574 inches / 40mm
	9281505	250	PIN PEBBLE WHITE 1.299 inches / 33mm
	9281506	250	PIN PEBBLE BLACK 1.299 inches / 33mm

# CHECKPOINT EAS SOLUTIONS REUSABLES



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION
<b>PINS &amp; LANYARDS</b>			
	9146699	250	TRANSPARENT INK SOMBRERO PIN 1.968 inches / 50mm
	9203023 7604784 9203041 7242403 7231737	100 100 100 100 100	LANYARDS STEEL FLEX 6.299 inches / 16cm LANYARD DOUBLE LOOP WHITE 5.511 inches / 14cm STEEL FLEX STRING 8.267 inches / 21cm LANYARD PLASTIC SINGLE 3.937 inches / 10cm LANYARD PLASTIC COATED & CABLE EYE 5.905 inches / 15 cm

# CHECKPOINT EAS SOLUTIONS DETACHERS



ARTICLE	ARTICLE NUMBER	DESCRIPTION
DETACHERS		
	10104110	SUPER LOCK DETACHER Opens all standard S3 and Superlock products  Not available for sale in US, Canada or Mexico
	10009357	SUPER XT KEY 60" lanyard Opens all standard S3 and Superlock products
	7501580	SMART DETACHER For use with: Hyper-Lock hard tags
	7144586	SWIVEL KEY For use with: Apparel clip HT@S, iS Peg Hook, iS Petite Tag
	COMING SOON	SUPER DEXTER DETACHER
	COMING SOON	SUPER BAKKER DETACHER

Checkpoint Systems is a global leader in shrink management, merchandise visibility and apparel labeling solutions. Checkpoint partners with retailers and their suppliers to reduce shrink, increase shelf availability, ensure labeling consistency and achieve operational excellence. Checkpoint's solutions enable retailers to enhance the shopping experience for consumers, and grow their businesses profitably.

#### SHRINK MANAGEMENT SOLUTIONS



#### MERCHANDISE VISIBILITY SOLUTIONS



#### APPAREL LABELING SOLUTIONS



#### U.S.

Tel: 800 257 5540 or 856 848 1800  
[marketingleads@checkpt.com](mailto:marketingleads@checkpt.com)

#### EUROPE

Tel: 34 91 432 2504  
[european.marketing@eur.checkpt.com](mailto:european.marketing@eur.checkpt.com)

#### ASIA PACIFIC

Tel: 852 2527 2327  
[asiapac.marketing@checkpt.com](mailto:asiapac.marketing@checkpt.com)

